

No. HKTEC2200931902

Date: 18 Mar 2022

Page 1 of 20

SGS INTRON B.V. DR. NOLENSLAAN 126 6136 GV SITTARD NETHERLANDS

The following sample(s) was/were submitted by the client as: A133330 (220565-1)

SGS Job No. Item No. Given by Client : 4993015 - HK : 1 SAMPLE

Date of Sample Received

: 01 Mar 2022

**Testing Period** 

: 01 Mar 2022 - 16 Mar 2022

Test Requested

:As requested by client, SVHC screening is performed according to:
(i) Two hundred and twenty-three (223) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Jan 17, 2022 regarding

Regulation (EC) No 1907/2006 concerning the REACH.

Test Result(s):

Please refer to next page(s).

Summary:

According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope and evaluation screening, the test results of SVHC are  $\leq 0.1\%$  (w/w) in the articles of the submitted sample.

**PASS** 

Signed for and on behalf of SGS Hong Kong Limited

Wong Ka Ming, Polly Chemist



No. HKTEC2200931902

Date: 18 Mar 2022

Page 2 of 20

### Remark:

 The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA: http://echa.europa.eu/web/guest/candidate-list-table

These lists are under evaluation by ECHA and may subject to change in the future.

### 2. REACH obligation:

2.1 Concerning article(s):

Communication:

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

#### Notification:

In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

SGS adopts the ruling of the Court of Justice of the European Union on the definition of an article under REACH unless indicated otherwise. Detail explanation is available at the following link:

http://www.sgs.com/-/media/global/documents/technical-documents/technical-bulletins/sgs-crs-position-statement-on-svhc-in-articles-a4-en-16-06.pdf?la=en

#### 2.2 Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.soc.com/nilemestates-and-conditions-and-



No. HKTEC2200931902

Date: 18 Mar 2022

Page 3 of 20

2.3 Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and its amendments, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

- a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
- a mixture that is classified as hazardous under the CLP Regulation (EC) No 1272/2008, when it contains a substance with concentration equal to, or greater than the classification limit as set in Regulation (EC) No. 1272/2008; or
- a mixture is not classified as hazardous under the CLP Regulation (EC) No 1272/2008, but contains either:
- (a) a substance posing human health or environmental hazards in an individual concentration of  $\geq$  1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or  $\geq$  0.2 % by volume for gaseous mixtures; or
- (b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
- (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of  $\geq 0.1$  % by weight for non-gaseous mixtures; or
- (d) a substance for which there are Europe-wide workplace exposure limits
- If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

### **Test Sample:**

Sample Description:

Specimen No.	SGS Sample ID	Description	Group Table
SN1	HKT22-009319.002	Green plastic	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at a subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions to Electronic Documents at the subject to Terms and Conditions to Electronic Documents at the subject to Terms and Conditions to Electronic Documents at the subject to Terms and Conditions of the Service Serv



No. HKTEC2200931902

Date: 18 Mar 2022

Page 4 of 20

### **Test Method:**

SGS In-House method-CTS-HL-114-1, CTS-HL-234-5, Analyzed by ICP-OES, UV-VIS, GC-MS, HPLC-DAD/MS and Colorimetric Method.

Test Result: (Substances in the Candidate List of SVHC)

Batch	Substance Name	CAS No.	002 Concentration (%)	RL (%)
-	All tested SVHC in candidate list	-	ND	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://documents.nub.ec/">https://documents.nub.ec/</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlewful and offenders may be prosecuted to the fullest extent of the law.



No. HKTEC2200931902

Date: 18 Mar 2022

Page 5 of 20

#### Notes:

- 1. The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.
- 2. RL = Reporting Limit. All RL are based on homogenous material ND = Not detected (lower than RL), ND is denoted on the SVHC substance. NA^ = Upon further test verification on the specific detected element(s) of SVHC and also information provided from client, the possibility that the element(s) content originate from SVHC is very unlikely, even though their presence cannot be excluded entirely. It may be assumed that the detected element(s) have a non-SVHC source.
- 3. \* The test result is based on the calculation of selected element(s) and to the worst-case scenario.
  - \*\* The test result is based on the calculation of selected marker(s) and to the worst-case scenario.
- 4. RL = 0.001% is evaluated for element (i.e. cobalt, arsenic, lead, chromium (VI), aluminum, zirconium, boron, strontium, zinc, antimony, titanium, barium and cadmium respectively), except molybdenum RL=0.0005%.
- 5. Calculated concentration of boric compounds are based on the total boron for liquid, powder and paste samples and water extractive boron for other samples by ICP-OES.
- 6. § The substance is proposed for the identification as SVHC only where it contains Michler's ketone (CAS Number: 90-94-8) or Michler's base (CAS Number: 101-61-1) ≥0.1% (w/w).
- 7. In consideration of the analysis requirement and the limit of sample volume, the screening test for the article is based on components / material enough to test.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.documents.gover.edu.com/documents.gover.edu.com



No. HKTEC2200931902

Date: 18 Mar 2022

Page 6 of 20

### Appendix 1

Category	Decision Rule Statement
1	<ul> <li>The decision rule for conformity reporting is based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, w = U95) in ILAC-G8:09/2019 Clause 4.2.3.</li> <li>A. "Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.".</li> <li>B. "Conditional Pass - The measured values were observed in tolerance at the points tested. However, a portion of the expanded measurement uncertainty intervals about one or more measured values exceeded / out of tolerance. When the measured result is close to the tolerance, the specific false accept risk is up to 50%.".</li> <li>C. "Conditional Fail - One or more measured values were observed out of tolerance at the points tested. However, a portion of the expanded measurement uncertainty intervals about one or more measured values were in tolerance. When the measured result is close to the tolerance, the specific false reject risk is up to 50%.".</li> <li>D. "Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.</li> </ul>
2	The decision rule for conformity reporting is based on BS EN 1811:2011+A1:2015: Reference test method for release of nickel from all post assemblies which are inserted into pierced parts of the human body and articles intended to come into direct and prolonged contact with the skin in Section 9.2 interpretation of results.
3	The decision rule for conformity reporting is based on the general consideration of simple acceptance as stated in ISO/IEC Guide 98-3: "Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM 1995)", and more specifically for analytical measurements to the EURACHEM/CITAC Guide 2012 "Quantifying Uncertainty in Analytical Measurement".
4	The decision rule for conformity reporting is according to the IEC 62321-7-1 Edition 1.0 2015-09 Section 7: Table 1-(comparison to standard and interpretation of result)
5	The decision rule for conformity reporting is according to the IEC 62321-3-1 Edition 1.0 2013-06 Annex A.3 interpretation of result.
6	The decision rule for conformity reporting is according to the GB/T 26125-2011 Annex A to H
7	The decision rule for conformity reporting is according to the requested specification or standard (ASTM F963-17 section 4.3.5)
8	The decision rule for conformity reporting is according to the requested specification or standard (AS/NZS ISO 8124 Part 3 section 4.2)
Remark	If the decision rule is not feasible to be used and the uncertainty of the result is able to be provided, the uncertainty range of the result will be shown in the report. Otherwise, only result will be shown in the report.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.gov.com/order-new-and-Conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-and-and-conditions-



No. HKTEC2200931902

Date: 18 Mar 2022

Page 7 of 20

### Appendix Full list of tested SVHC:

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
1	1	4,4'-Diaminodiphenylmethane(MDA)	101-77-9	0.100	0.010
1	2	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	0.100	0.010
1	3	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	0.100	0.010
1	4	Anthracene	120-12-7	0.100	0.010
I	5	Benzyl butyl phthalate (BBP)	85-68-7	0.100	0.010
I	6	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7	0.100	0.010
İ	7	Bis(tributyltin)oxide (TBTO)	56-35-9	0.100	0.010
I	8	Cobalt dichloride*	7646-79-9	0.010	0.001
1	9	Diarsenic pentaoxide*	1303-28-2	0.010	0.001
ı	10	Diarsenic trioxide*	1327-53-3	0.010	0.001
I	11	Dibutyl phthalate (DBP)	84-74-2	0.100	0.010
I	12	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) <sup>Δ</sup>	-	0.100	0.010
1	13	Lead hydrogen arsenate*	7784-40-9	0.010	0.001
ı	14	Sodium dichromate*	7789-12-0, 10588-01-9	0.010	0.001
t	15	Triethyl arsenate*	15606-95-8	0.010	0.001
II	16	2,4-Dinitrotoluene	121-14-2	0.100	0.010
Н	17	Acrylamide	79-06-1	0.100	0.010
II	18	Anthracene oil**	90640-80-5	0.100	0.010

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.soc.com/original-news/conditions-acc-and-to-re-and-conditions-acc-and-conditions-acc-and



No. HKTEC2200931902

Date: 18 Mar 2022

Page 8 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
II	19	Anthracene oil, anthracene paste**	90640-81-6	0.100	0.010
II	20	Anthracene oil, anthracene paste, anthracene fraction**	91995-15-2	0.100	0.010
II	21	Anthracene oil, anthracene paste, distn. Lights**	91995-17-4	0.100	0.010
<u> </u>	22	Anthracene oil, anthracene-low**	90640-82-7	0.100	0.010
П	23	Diisobutyl phthalate	84-69-5	0.100	0.010
11	24	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	0.010	0.001
II	25	Lead chromate*	7758-97-6	0.010	0.001
II	26	Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	0.010	0.001
II	27	Pitch, coal tar, high temp. **	65996-93-2	0.100	0.00025
II	28	Tris(2-chloroethyl)phosphate	115-96-8	0.100	0.010
Ш	29	Ammonium dichromate*	7789-09-5	0.010	0.001
111	30	Boric acid*	-	0.010	0.001
111	31	Disodium tetraborate, anhydrous*	1303-96-4, 1330-43-4, 12179-04-3	0.010	0.001
111	32	Potassium chromate*	7789-00-6	0.010	0.001
111	33	Potassium dichromate*	7778-50-9	0.010	0.001
111	34	Sodium chromate*	7775-11-3	0.010	0.001
111	35	Tetraboron disodium heptaoxide, hydrate*	12267-73-1	0.010	0.001
111	36	Trichloroethylene	79-01-6	0.100	0.010
IV	37	2-Ethoxyethanol	110-80-5	0.100	0.010

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at the Company subject to Terms and Conditions for Electronic Documents at the Company subject to Terms and Conditions for Electronic Documents at the Company subject to Terms and Conditions for Electronic Documents at the Company subject to Terms and Conditions for Electronic Documents at the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. HKTEC2200931902

Date: 18 Mar 2022

Page 9 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
IV	38	2-Methoxyethanol	109-86-4	0.100	0.010
IV	39	Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	-	0.010	0.001
IV	40	Chromium trioxide*	1333-82-0	0.010	0.001
IV	41	Cobalt(II) carbonate*	513-79-1	0.010	0.001
IV	42	Cobalt(II) diacetate*	71-48-7	0.010	0.001
IV	43	Cobalt(II) dinitrate*	10141-05-6	0.010	0.001
IV	44	Cobalt(II) sulphate*	10124-43-3	0.010	0.001
٧	45	1,2,3-trichloropropane	96-18-4	0.100	0.010
٧	46	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	0.100	0.010
٧	47	1,2-Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters	68515-42-4	0.100	0.010
٧	48	1-methyl-2-pyrrolidone	872-50-4	0.100	0.010
٧	49	2-ethoxyethyl acetate	111-15-9	0.100	0.010
٧	50	Hydrazine	7803-57-8, 302-01-2	0.100	0.010
٧	51	strontium chromate*	7789-06-2	0.010	0.001
VI	52	1,2-Dichloroethane	107-06-2	0.100	0.010
VI	53	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	0.100	0.010
VI	54	2-Methoxyaniline; o-Anisidine	90-04-0	0.100	0.010
VI	55	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.100	0.010
VI	56	Aluminosilicate Refractory Ceramic Fibres*	-	0.010	0.001

This document is issued by the Company subject to its General Conditions of Service printed overleef, available on request or accessible at http://documents.subject to Terms and Conditions for Electronic Documents at the Company subject to Terms and Conditions for Electronic Documents at the Company and printed to Terms at the time of its intervention only and within the limits of Cilent's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 2ZE, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong.

www.sgsgroup.com.hk



No. HKTEC2200931902

Date: 18 Mar 2022

Page 10 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
VI	57	Arsenic acid*	7778-39-4	0.010	0.001
VI	58	Bis(2-methoxyethyl) ether	111-96-6	0.100	0.010
VI	59	Bis(2-methoxyethyl) phthalate	117-82-8	0.100	0.010
VI	60	Calcium arsenate*	7778-44-1	0.010	0.001
VI	61	Dichromium tris(chromate)*	24613-89-6	0.010	0.001
VI	62	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	0.100	0.010
VI	63	Lead diazide, Lead azide*	13424-46-9	0.010	0.001
VI	64	Lead dipicrate*	6477-64-1	0.010	0.001
VI	65	Lead styphnate*	15245-44-0	0.010	0.001
VI	66	N,N-dimethylacetamide	127-19-5	0.100	0.010
VI	67	Pentazinc chromate octahydroxide*	49663-84-5	0.010	0.001
VI	68	Phenolphthalein	77-09-8	0.100	0.010
VI	69	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	0.010	0.001
VI	70	Trilead diarsenate*	3687-31-8	0.010	0.001
VI	71	Zirconia Aluminosilicate Refractory Ceramic Fibres*	-	0.010	0.001
VII	72	[4-[[4-anilino-1-naphthyl][4- (dimethylamino)phenyl]methylene]cycl ohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)§	2580-56-5	0.100	0.010
VII	73	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1- ylidene]dimethylammonium chloride (C.I. Basic Violet 3) §	548-62-9	0.100	0.010
VII	74	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	0.100	0.010



No. HKTEC2200931902

Date: 18 Mar 2022

Page 11 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
VII	75	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	0.100	0.010
VII	76	4,4'-bis(dimethylamino) benzophenone (Michler's Ketone)	90-94-8	0.100	0.010
VII	77	4,4'-bis(dimethylamino)-4"- (methylamino)trityl alcohol <sup>§</sup>	561-41-1	0.100	0.010
VII	78	Diboron trioxide*	1303-86-2	0.010	0.001
VII	79	Formamide	75-12-7	0.100	0.010
VII	80	Lead(II) bis(methanesulfonate)*	17570-76-2	0.010	0.001
VII	81	N,N,N',N'-tetramethyl-4,4'- methylenedianiline (Michler's base)	101-61-1	0.100	0.010
VII	82	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	0.100	0.010
VII	83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) §	6786-83-0	0.100	0.010
VII	84	β-TGIC (1,3,5-tris[(2S and 2R)-2,3- epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H)-trione)	59653-74-6	0.100	0.010
VIII	85	[Phthalato(2-)]dioxotrilead*	69011-06-9	0.010	0.001
VIII	86	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.100	0.010
VIII	87	1,2-Diethoxyethane	629-14-1	0.100	0.010
VIII	88	1-Bromopropane	106-94-5	0.100	0.010
VIII	89	3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04- 2	0.100	0.010
VIII	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	-	0.100	0.010
VIII	91	4,4'-Methylenedi-o-toluidine	838-88-0	0.100	0.010
VIII	92	4,4'-Oxydianiline and its salts	101-80-4	0.100	0.010



No. HKTEC2200931902

Date: 18 Mar 2022

Page 12 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
VIII	93	4-Aminoazobenzene	60-09-3	0.100	0.010
VIII	94	4-Methyl-m-phenylenediamine	95-80-7	0.100	0.010
VIII	95	4-Nonylphenol, branched and linear	-	0.100	0.010
VIII	96	6-Methoxy-m-toluidine	120-71-8	0.100	0.010
VIII	97	Acetic acid, lead salt, basic*	51404-69-4	0.010	0.001
VIII	98	Biphenyl-4-ylamine	92-67-1	0.100	0.010
VIII	99	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5	0.100	0.010
VIII	100	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	-	0.100	0.010
VIII	101	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	0.100	0.010
VIII	102	Dibutyltin dichloride (DBTC)	683-18-1	0.100	0.010
VIII	103	Diethyl sulphate	64-67-5	0.100	0.010
VIII	104	Diisopentylphthalate	605-50-5	0.100	0.010
VIII	105	Dimethyl sulphate	77-78-1	0.100	0.010
VIII	106	Dinoseb	88-85-7	0.100	0.010
VIII	107	Dioxobis(stearato)trilead*	12578-12-0	0.010	0.001
VIII	108	Fatty acids, C16-18, lead salts*	91031-62-8	0.010	0.001
VIII	109	Furan	110-00-9	0.100	0.010
VIII	110	Henicosafluoroundecanoic acid	2058-94-8	0.100	0.010
VIII	111	Heptacosafluorotetradecanoic acid	376-06-7	0.100	0.010

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at the wave company and Conditions are and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at the wave company and Conditions are a Condition and Conditions are a Conditions are a Conditions are a Condition and Conditions are a Conditions are a Conditions and Conditions are a Conditions are a Conditions and Conditions and Conditions and Conditions are a Conditions and Conditions and Conditions and Conditions are a Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are a Conditions and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are and Conditions and Conditions and Conditions and Conditions are an advanced and Conditions and Conditions are an advanced and Conditions are an advanced and Conditions are an advanced and Conditions are advanced



No. HKTEC2200931902

Date: 18 Mar 2022

Page 13 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
VIII	112	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1- methylphthalic anhydride, Hexahydro- 3-methylphthalic anhydride	-	0.100	0.010
VIII	113	Lead bis(tetrafluoroborate)*	13814-96-5	0.010	0.001
VIII	114	Lead cyanamidate*	20837-86-9	0.010	0.001
VIII	115	Lead dinitrate*	10099-74-8	0.010	0.001
VIII	116	Lead monoxide*	1317-36-8	0.010	0.001
VIII	117	Lead oxide sulfate*	12036-76-9	0.010	0.001
VIII	118	Lead tetroxide (orange lead)*	1314-41-6	0.010	0.001
VIII	119	Lead titanium trioxide*	12060-00-3	0.010	0.001
VIII	120	Lead titanium zirconium oxide*	12626-81-2	0.010	0.001
VIII	121	Methoxyacetic acid	625-45-6	0.100	0.010
VIII	122	Methyloxirane (Propylene oxide)	75-56-9	0.100	0.010
VIII	123	N,N-Dimethylformamide	68-12-2	0.100	0.010
VIII	124	N-Methylacetamide	79-16-3	0.100	0.010
VIII	125	N-Pentyl-isopentylphthalate	776297-69- 9	0.100	0.010
VIII	126	o-Aminoazotoluene	97-56-3	0.100	0.010
VIII	127	o-Toluidine	95-53-4	0.100	0.010
VIII	128	Pentacosafluorotridecanoic acid	72629-94-8	0.100	0.010
VIII	129	Pentalead tetraoxide sulphate*	12065-90-6	0.010	0.001
VIII	130	Pyrochlore, antimony lead yellow*	8012-00-8	0.010	0.001

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at his Away or company and Conditions for Electronic Documents at his Away or company and Conditions for Electronic Documents at his Away or company and Conditions for Electronic Documents at his Away or company and conditions for Electronic Documents at his Away or company and within the limitation of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. HKTEC2200931902

Date: 18 Mar 2022

Page 14 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
VIII	131	Silicic acid, barium salt, lead-doped*	68784-75-8	0.010	0.001
VIII	132	Silicic acid, lead salt*	11120-22-2	0.010	0.001
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	0.010	0.001
VIII	134	Tetraethyllead*	78-00-2	0.010	0.001
VIII	135	Tetralead trioxide sulphate*	12202-17-4	0.010	0.001
VIII	136	Tricosafluorododecanoic acid	307-55-1	0.100	0.010
VIII	137	Trilead bis(carbonate)dihydroxide (basic lead carbonate)*	1319-46-6	0.010	0.001
VIII	138	Trilead dioxide phosphonate*	12141-20-7	0.010	0.001
IX	139	4-Nonylphenol, branched and linear, ethoxylated	-	0.100	0.010
IX	140	Ammonium pentadecafluorooctanoate (APFO)**	3825-26-1	0.100	0.010
IX	141	Cadmium oxide*	1306-19-0	0.010	0.001
IX	142	Cadmium	7440-43-9	0.010	0.001
IX	143	Dipentyl phthalate (DPP)	131-18-0	0.100	0.010
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.100	0.010
Χ	145	Cadmium sulphide*	1306-23-6	0.010	0.001
Х	146	Dihexyl phthalate	84-75-3	0.100	0.010
х	147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.100	0.010
x	148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.100	0.010
x	149	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.100	0.010

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at his own and the control of the



No. HKTEC2200931902

Date: 18 Mar 2022

Page 15 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
X	150	Lead di(acetate)*	301-04-2	0.010	0.001
Х	151	Trixylyl phosphate	25155-23-1	0.100	0.010
ΧI	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.100	0.010
ΧI	153	Cadmium chloride*	10108-64-2	0.010	0.001
ΧI	154	Sodium perborate; perboric acid, sodium salt*	-	0.010	0.001
ΧI	155	Sodium peroxometaborate*	7632-04-4	0.010	0.001
XII	156	2-(2H-benzotriazol-2-yl)-4,6- ditertpentylphenol (UV-328)	25973-55-1	0.100	0.010
XII	157	2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320)	3846-71-7	0.100	0.010
XII	158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo- 8-oxa-3,5-dithia-4- stannatetradecanoate (DOTE)	15571-58-1	0.100	0.010
XII	159	Cadmium fluoride*	7790-79-6	0.010	0.001
XII	160	Cadmium sulphate*	10124-36- 4, 31119-53-6	0.010	0.001
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate & 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE & MOTE)	-	0.100	0.010
XIII	162	1,2-benzenedicarboxylic acid, di-C6- 10-alkyl esters; 1,2- benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	-	0.100	0.010
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	-	0.100	0.010

This document is issued by the Company subject to its General Conditions of Service printed overlesf, available on request or accessible at <a href="https://document.gov/min/">https://document.gov/min/</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://document.gov/min/">https://document.gov/min/</a> at the time of its intervention only and within the limits of Client's instructions, it any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unleavful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 | f (852) 2764 3126 | e mktg.hk@sgs.com Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong. www.sgsgroup.com.hk



No. HKTEC2200931902

Date: 18 Mar 2022

Page 16 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
XIV	164	1,3-propanesultone	1120-71-4	0.100	0.010
XIV	165	2,4-di-tert-butyl-6-(5- chlorobenzotriazol-2-yl) phenol (UV- 327)	3864-99-1	0.100	0.010
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)- 6-(sec-butyl) phenol (UV-350)	36437-37-3	0.100	0.010
XIV	167	Nitrobenzene	98-95-3	0.100	0.010
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	-	0.100	0.010
XV	169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.100	0.010
XVI	170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.100	0.010
XVI	171	4-Heptylphenol, branched and linear	-	0.100	0.010
XVI	172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	-	0.100	0.010
XVI	173	p-(1,1-dimethylpropyl)phenol	80-46-6	0.100	0.010
XVII	174	Perfluorohexane-1-sulphonic acid and its salts	-	0.100	0.010
XVIII	175	1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo[12.2.1.16,9.0 2,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	0.100	0.010
XVIII	176	Benz[a]anthracene	56-55-3	0.100	0.010
XVIII	177	Cadmium nitrate*	10325-94-7	0.010	0.001
XVIII	178	Cadmium carbonate*	513-78-0	0.010	0.001
XVIII	179	Cadmium hydroxide*	21041-95-2	0.010	0.001
XVIII	180	Chrysene	218-01-9	0.100	0.010
XVIII	181	Reaction products of 1,3,4- thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with	-	0.100	0.010

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

GS Hong Kong Limited Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e mktg.nk@sgs.com Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong.

www.sgsgroup.com.hk



No. HKTEC2200931902

Date: 18 Mar 2022

Page 17 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
		≥0.1% w/w 4-heptylphenol, branched and linear]			
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	552-30-7	0.100	0.010
XIX	183	Benzo[ghi]perylene	191-24-2	0.100	0.010
XIX	184	Decamethylcyclopentasiloxane (D5)	541-02-6	0.100	0.010
XIX	185	Dicyclohexyl phthalate (DCHP)	84-61-7	0.100	0.010
XIX	186	Disodium octaborate*	12008-41-2	0.010	0.001
XIX	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	0.100	0.010
XIX	188	Ethylenediamine (EDA)	107-15-3	0.100	0.010
XIX	189	Lead	7439-92-1	0.010	0.001
XIX	190	Octamethylcyclotetrasiloxane (D4)	556-67-2	0.100	0.010
XIX	191	Terphenyl, hydrogenated	61788-32-7	0.100	0.010
XX	192	1,7,7-trimethyl-3- (phenylmethylene)bicyclo[2.2.1]heptan -2-one (3-benzylidene camphor)	15087-24-8	0.100	0.010
XX	193	2,2-bis(4'-hydroxyphenyl)-4- methylpentane	6807-17-6	0.100	0.010
XX	194	Benzo[k]fluoranthene	207-08-9	0.100	0.010
XX	195	Fluoranthene	206-44-0	0.100	0.010
XX	196	Phenanthrene	85-01-8	0.100	0.010
XX	197	Pyrene	129-00-0	0.100	0.010
XXI	198	2,3,3,3-tetrafluoro-2- (heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	0.100	0.010
XXI	199	2-methoxyethyl acetate	110-49-6	0.100	0.010



No. HKTEC2200931902

Date: 18 Mar 2022

Page 18 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
XXI	200	4-tert-butylphenol (PTBP)	98-54-4	0.100	0.010
XXI	201	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	-	0.100	0.010
XXII	202	2-benzyl-2-dimethylamino-4'- morpholinobutyrophenone	119313-12- 1	0.100	0.010
XXII	203	2-methyl-1-(4-methylthiophenyl)-2- morpholinopropan-1-one	71868-10-5	0.100	0.010
XXII	204	Diisohexyl phthalate	71850-09-4	0.100	0.010
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	0.100	0.010
XXIII	206	1-vinylimidazole	1072-63-5	0.100	0.010
XXIII	207	2-methylimidazole	693-98-1	0.100	0.010
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	0.100	0.010
XXIII	209	Dibutylbis(pentane-2,4-dionato- O,O')tin**	22673-19-4	0.100	0.010
XXIV	210	bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	0.100	0.010
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety**	-	0.100	0.010
XXV	212	1,4-dioxane	123-91-1	0.100	0.010
XXV	213	2,2-bis(bromomethyl)propane1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA)	-	0.100	0.010
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	0.100	0.010
XXV	215	4,4'-(1-methylpropylidene)bisphenol (bisphenol B)	77-40-7	0.100	0.010
xxv	216	Glutaral	111-30-8	0.100	0.010

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or eccessible at the way and the company subject to Terms and Conditions for Electronic Documents at the way and the company of the Company's findings at the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to like Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or feisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

GS Hong Kong Limited

Office: Units 303 & 305, 3/F Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com

Laboratory: 1/F, Units 16-29 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong. www.sgsgroup.com.hk



No. HKTEC2200931902

Date: 18 Mar 2022

Page 19 of 20

Batch	No.	Substance Name	CAS No.	RL (%) (Mixed Components)	RL (%) (Individual Components)
xxv	217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	0.100	0.010
XXV	218	Orthoboric acid, sodium salt*	13840-56-7	0.100	0.001
xxv	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	0.100	0.010
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1] heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	0.100	0.010
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p- cresol (DBMC)	119-47-1	0.100	0.010
XXVI	222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94- 8	0.100	0.010
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	0.100	0.010



No. HKTEC2200931902

Date: 18 Mar 2022

Page 20 of 20

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*